A	Bearings
Abrasive wheels	power transmission equipment, 200-8
(See also Requirements for all machines)	supports, belt or rope drives, 300 -5
all requirements, 405 -5-16	Belt, rope, or pulley drives
blotters, 405 -16	all, 300 -2-8
definitions, 500 -1-23	conveyors, 420 -14-16
design and construction, 405 -5	Belt sanders, safeguarding methods, 475 -4
flanges, 405 -13-15; 500 -8	Blotters, abrasive wheels, 405 -16
guard requirements, 405 -6-8	Board hammers, forging machines, 430 -12 Bolts, protruding on moving surfaces, 200 -12
mounting, 405 -12	Boring machines, saws and cutting heads, 480 -30
ring test, 405 -11	Box and roll-type dough sheeters, 425 -31
tongue guard, 405 -9; 500 -20	Bread coolers, rack-type, 425 -7
types and illustrations, helpful tool, R -7	Burrs, moving surfaces, 200 -12
use, 405 -11	Dairs, moving sarraces, 200 12
work rest, for off-hand grinding, 405-10	C
Access	C
mobile conveyors, 420-21	Calenders, 410 -2-4; R -29
doors and covers, compactors, 415-4	(See also Requirements for all machines)
conveyors, safety, 420 -8	Cams, safeguarding, 300 -9
Adjustable barrier guard, mechanical power	Chain and sprocket drives, safeguarding, 300 -10
presses, 455 -9	Chain conveyors, 420 -17-18
Adjusting or repairing machinery, 200 -7	Chain tackle, food processing, 425 -12
Air conditioning units, food processing, 425 -7	Chapter application, scope, 100 -1
Alterations, conveyors, 420 -9	Chip control and handling, lathes, 450 -4
ANSI requirements	Chipper and hog mills, 480 -32
chipper mills, 480 -31	Chappelete melting, refining, and mixing, food
forging machines, pressure pipes, 430 -12	Chocolate melting, refining, and mixing, food
mechanical power presses, 455 -5	processing equipment, 425 -22
Antifriction-bearing casters, food processing equipment, 425 -15	Chucks (See work-holding devices (chucks)) Chutes
Arbors and mandrels, fitting, 300 -1	conveyors, 420 -12
Automatic cycling controls, compactors, 415 -4	food processing, 425 -11
Automatic saws, 480 -16	Circular resaws, 480 -15
Automatic Saws, 100 To	Circular saws
В	(See also Requirements for all machines)
Ь	all, 480 -9-15
Backstop, or anti-runaway devices, conveyors,	gages, 480 -9
420 -9	guarding hand-fed saws, exemption, 480 -10
Bag lifts (bag arm elevators), 425 -11	miter, 480 -17-18
Bakery slicers, food processing, 425 -14	radial, 480 -19-21
Bakery wrapping machines, food processing	ripping (definition), 500-17
equipment, 425 -14-15	ripsaws, hand-fed, 480 -12-13
Band saws, 480 -27	meat cutting, food processing, 425-23
Barrels, revolving, safeguarding, 300 -16	circular, requirements for all, 480-9-15
Barricades, safe distance from hazard, 200 -22-24	self-feed, 480 -14
Barrier guards	swing (jump) saws, 480 -16-17
all requirements, 200 -13-15 devices, 200 -21	Clearances, towed conveyors, 420 -27
mechanical power press, 455 -9	
meenanical power press, 433-7	




Machine Safety Chapter 296-806 WAC

Index

Clothing requirements when lubricating moving	screw, 420 -24
machinery, 200 -9	shakers, 420 -19
Clutch handle, belt shifter, 300-6-8	shuttle, 420 -19
Collars, revolving, 300 -19	skip hoists, 420 -25
Comb, 480 -7	slat and roller-slat, 420-26
Compactors	spill guards, 420 -10
(See also Requirements for all machines)	towed, 420 -26-28
all, 415 -1-4	Counterweights, safeguard, 300-19
automatic cycling controls, 415-4	Coverings, lathes, 450 -6
controls, 415-3	Coverings, storage bins, food processing, 425 -10
doors, access and covers, 415-4	Cross-roll brakes, food processing, 425-17
general requirements, 200-1-25; 300-1-19	Cutting heads
operations, 415-2	(See also Requirements for all machines)
stationary, 415-2	all requirements, 480-1-42
Connecting rods, safeguarding, 300-9	boring machines, 480-30
Containers, revolving, safeguarding, 300 -16	chipper mills, 480 -31
Controls	general requirements, for all, 480-29
calenders, safety, 410-2-3	hog mills, 480 -32
compactors, 415-3-4	jointers, 480 -33-34
emergency stop, 200-4	matching machines, 480-34
foot operated, 200-4	molding machines, 480-34
machine vibration, 200 -5	mortising machines, 480-30
operating, 200 -3	panel raisers & other similar machines, 480-35
Conveyors	planers, 480 -35-37
(See also Requirements for all machines)	shapers, 480 -38
access, safe, 420-8	sticking machines, 480-34
all, 420 -1-28	tenoning machines, 480-39
alterations, 420-9	veneer machines, 480-40-42
backstop, or anti-runaway devices, 420-9	Cylinder draining, forging machines, 430-11
chain, 420 -17-18	Cylinder grinder, abrasive wheels, 405-9
chutes, 420 -12	Cylinder head, forging machines, 430-10
controls, labeling, 420-7	
design and construction, 420 -6	D
elevator, 420 -18	
emergency stops, 420-6-7	Dadoing, saws and cutting heads, 480 -7
food processing, 425-12-13	Definitions, all, 500 -1-23
guards, spill, 420 -10	Design and construction
guideposts, 420 -13	abrasive wheels, 405-5
hoppers, 420 -12	conveyors, 420 -6; 425 -13
inspection, 420 -9	jointers, 480 -33-34
mobile, 420 -20-21	mechanical power presses, 455 -5
overland belt, 420 -15-16	ovens, 425 -28
projections, marking, 420-28	pulleys, 300 -15-16
pusher-bar, 420 -21	
replacing parts, 420 -10	
riding, prohibiting, 420 -8	
roller, 420 -22-23	

Detector, mobile conveyors, 420 -21	hog mills, 480 -32
Devices	lubricating moving machinery, 200-9
all requirements, 200-16-21	machinery, 200 -1
barrier guards, 200 -21	moving surfaces with hazards, 200-12
light curtains, 200-17	nip or shear point, 200 -10
mechanical power presses, 455-10-11, 14-16	point of operation, 200 -10
pressure-sensitive mats, 200-18	reciprocating or other moving parts, 200-11
restraint or pullback, 200-19	rotating or revolving parts, 200-11
two-hand, 200 -20	unintentional machine operation, 200-4
Die keys and shims, forging machines, 430 -10	Emulsifiers, premixers, and similar machines, food
Die machine, food processing, 425 -30	processing equipment, 425-21
Dies, mechanical power presses, 455 -19-20	Equipment, overspeed, 200-5
Disk sanders, sanding machines, safeguarding	Exemptions
methods, 475 -2	belt and rope drives, safeguarding methods, 300-2
Distance	belt shifter, 300-6
all machines, 200-22-24	boring and mortising machines, 480-30
from hazard to guard (A), illustration, 200-15	calenders, 410-2
safe, press brakes, 465 -4-8	chain guards, 300 -10
Dividers, food processing equipment, 425 -16	chipper mills, 480-31
Double arbor saws, 480 -24	circular saws, guarding, 480-12-13
Dough-related equipment, food processing	drum sanders, 475-3
brakes, 425 -17-18	fan blades, 300 -11
mixers (horizontal), 425 -24-25	flywheels, 300-12
sheeters, box and roll-type, 425-31	food processing equipment, 425-10
Doughnut machines, food processing equipment,	gears, 300 -13
425 -18	projections on moving parts, 300-14
Drag saws, 480 -28	pulleys, 300 -15
Drilling/boring machine, 480-30; 500-7	sewing machine needles, 485-1-2
Drip cups and pans, securing, 200-9	shafting, safeguarding methods, 300-17
Drum sanders, sanding machines, 475 -3	spreaders, 480-15
Drums, revolving, safeguarding, 300 -16	storage bins, 425-10
Dumpbin and blenders, food processing, 425 -19	Extension piping, food processing equipment, 425 -8
E	Extension piston rods, safeguarding, 300 -9
Elevator conveyors, 420 -18	F
Emergency stop controls	•
all machines, 200 -4	Facilities, food processing equipment
belt conveyors, 420-15	(See also Requirements for all machines)
conveyors, general requirements, 420-6	exposed hot pipes, 425-8
ovens, food processing, 425-29	fermentation room, 425-7
Employee protection	locks, chamber doors, 425-7
adjusting, repairing machinery, 200 -7	lubrication fittings, stationary, 425-8
belt and pulley drives, 300-6	pan washing tanks, exemption, 425-8
chipper mills, 480 -31	proof boxes, 425 -9
falling objects, 200-11	rack-type bread coolers, 425-7
flying objects, 200 -11	storage bins, 425-10
hazards, 200 -1	



Machine Safety

Chapter 296-806 WAC

Index

Falling objects, 200-11 emergency stop controls, 425-29 Fan blades safeguard, 300-10-11 fat kettles, 425-10, 22 Fat kettles, food processing equipment, fermentation room, 425-7 flour-handling machines, 425-20 **425**-10, 22 Featherboard, 480-7; 500-7 flour scales, 425-20 Feed rolls, planers, 480-36 flour sifters, 425-31 Feed rolls, sanding machines, 475-4 food grinders and cutters, 425-21 Fences hand trucks. 425-13 lubrication fittings, 425-8 definition, 500-7 manually-fed dough and cross-roll brakes saws and cutting heads, 480-33 Fermentation room, food processing safeguarding methods, 425-17 equipment, 425-7 material handling bag lifts (bag arm elevators) Fixed barriers, safeguarding by distance, design and construction, 425-11 **200**-23 meat-processing equipment (circular meat-cutting Flanges, abrasive wheels, 405-13-15 saws), 425-23 moulders, hand-fed, 425-28 Floor coverings, 200-1 moulders, mechanical-feed, 425-27 Floorstand grinders, abrasive wheels, 405-9 Flour-handling machines, food processing, ovens, 425-28-29 **425**-20 pallet jacks & hand trucks, 425-13 Flour scales, food processing, 425-20 pan-washing tanks, 425-8 Flour sifters, food processing, 425-31 peanut-cooling trucks, 425-30 Flying objects pipes, hot & exposed, 425-8 all machines, 200-11 premixers, emulsifiers, and other similar safeguarding, 200-11 machines, 425-21 Flywheels, safeguarding, 300-12 pretzel rolling, 425-30 Food grinders and cutters, 425-21 proof boxes, 425-9 Food processing equipment pulverizers, sugar & spice, 425-32 (See also Requirements for all machines) requirements for all machines, 200-1-25; 300-1-19 air conditioning units, 425-7 reversible dough brakes, 425-18 screw conveyors (augers), 425-13 all, 425-1-32 stationary lubrication fittings, 425-8 bag lifts (bag arm elevators) 425-11 bakery slicers, 425-14 steam kettles, 425-22 storage bins, 425-10 bakery wrapping machines, 425-14-15 track-type flour scales, 425-20 bread coolers, rack-type, 425-7 chain tackle, 425-12 troughs, 425-15 vertical mixers, 425-26 chocolate melting, refining, and mixing Foot-operated controls, 200-4 machines, 425-22 Forging machines chutes, 425-11 (See also Requirements for all machines) conveyors, 425-12-13 all, **430**-1-13 cross-roll brakes, 425-17 design and construction, 425-28 ANSI requirements, pressure pipes, 430-12 dividers, 425-16 board hammers, securing, 430-12 dough brakes, 425-17-18 cylinder draining, 430-11 dough sheeters, box and roll-type, 425-31 cylinder head, 430-10 dough mixers, horizontal, 425-24-25 die keys and shims, 430-10 hammers, 430-5, 8,10-12 doughnut machines, ventilation, 425-18 inspection and maintenance, 430-5 dumpbin and blender, 425-19

lead and lead casis, 430-4	
presses, 430 -5, 8	Guards
pressure pipes, 430 -12	abrasive wheels, 405-6-9
saws, sparks, 430 -13	all machines, 200 -13-15
scale, removing, 430-8	barrier, 200 -21
shut-off valve, 430-11	conveyors, 420 -10
specific requirements, table 430-3	dough brakes, food processing
strengths and dimensions, table, 430-6	equipment, 425 -18
tongs, 430 -7	glue spreaders, 440 -1-2
valves and switches, 430 -9	mechanical power presses, 455 -8-9
	metal lathes, 450 -3
G	Guideposts, conveyors, 420-13
O	Guide posts, mechanical power presses, 455 -6
Gages, circular saws, 480 -9	Guillotine cutters, 480-41-42
Garbage (waste) disposal equipment, 435 -1-2	
Gears, requirements for all machines, 300 -13	H
Glue spreaders, 440 -1-2	• •
General requirements	Hammers, forging machines, 430-5-8
abrasive wheels, 405 -5-10	Hand-feeding and retrieval tools, 200-6
circular saws, all, 480-9-15	Hand trucks, food processing, 425-13
conveyors, 420 -6-13	Hazards
cutting heads, 480-29	circular saws, 480 -16
forging machines, 430-4-9	definition, 500 -10
machines, all, 200 -1-9	drag saws, 480 -28
saws, 480 -8	employee protection, 200-1
saws & cutting heads, all, 480-7	falling objects, 200-11
Gloves, machinery, 200 -19	flying objects, 200-11
Glue spreaders, 440-1-2	guideposts, mechanical power presses, 455-6
Grating, shuttle conveyors, 420 -19	mobile conveyors, 420-20
Grease guns, 200 -9	moving surfaces, 200-12
Grooving, saws and cutting heads, 480 -7	nip or shear point, 200-10
Guard openings, safeguarding methods,	point of operation, 200-10
200 -14	reciprocating or other moving parts, 200-11
Guard radial saws, illustration, 480 -20	rotating or revolving parts, 200-11
Guard requirements, table, 405 -8	slipping, 200 -1
Guarding	work areas, 200 -2
chain conveyors, 420 -18	Hog, definiton, 500- 10
pusher bar conveyors, 420 -21	Hog mills, 480 -32
nip points, roller conveyors, 420-23	Helpful tools
wheels and rails, mobile conveyors, 420-20	abrasive wheel illustrations, R-7
Guardrails	calender stopping distance chart, R -29
abrasive wheels, 405-6-8	mills stopping distance chart, R-33
general requirements, all machines, 200-13-15	ring test, R -3
safeguarding by distance, 200-25	Hoists, skip, 420 -25
spill, conveyors, 420 -10	Hoppers and chutes, conveyors, 420 -12
tongue, abrasive wheels, 405-9	Horizontal cutting head, planers, 480-35
used for safeguarding, 200-25	Horizontal dough mixer, food processing,



$\mathsf{Inde}_{\textbf{X}}$

Machine Safety Chapter 296-806 WAC

Index

425 -24-25 Horizontal lathes, 450 -5 Hot pipes, food processing equipment, 425 -8	circular saws, hand-fed, 480 -12-13 planers, 480 -37 radial saws, 480 -22-23 Knives and cutting heads, 480 -29
1	1
Illustrations	Labeling controls
distance from hazard to guard (A), 200 -15	Labeling, controls compactor, 415 -3
guard radial saws, 480 -20	conveyors, 420 -7
how to measure variables for table	Lathes
200 -24	(See also Requirements for all machines)
miter saw guarding, 480 -18	all, 450 -1-7
return-belt idlers, 420 -14	metal, 450 -3-5
ripping with a radial arm saw, 480 -23 Inclined reciprocating conveyors (shakers),	woodworking, 450 -6-7 Lead and lead casts, forging machines, 430 -4
loading, 420 -19	Light curtains, 200 -17
Inspection	Loading, inclined reciprocating conveyors (shakers),
conveyors, 420 -9	420 -19
ovens, 425 -29	Locks, chamber doors, food processing equipment,
power transmission parts, 200-8	425 -7
press brakes, 465 -7	Locks or latches, storage bins, 425 -10 Lubrication
Inspection and maintenance forging machines, 430 -5	bearings, power transmission parts, 200 -9
mechanical power presses, 455 -23	fittings, food processing, 425 -8
Interlocked barrier guard, mechanical power	moving machinery, 200 -9
presses, 455 -9	
Intermediate rail, guardrails, 200 -25	M
Inverted swing (jump) saws, 480 -16-17	Machine initiation, roll forming and bending machines,
Ironworkers (See also Dequirements for all machines)	470 -2
(See also Requirements for all machines) adjustable restrictors, 445 -2	Machine restarting, power failure, 200-4
all, 445 -2	Machine vibration, controls, 200-5
point of operation, 445 -2	Machinery
	adjusting or repair, 200 -7
J	drip cups and pans, 200 -9 lubricating, 200 -9
Jointers, 480 -33-34	removing material, 200 -7
30iii(ci 3, 400 33 34	veneers, 480 -41-43
K	Machines
	controls, operating, 200-3
Kettles, food processing chocolate melting, refining, & mixing, 425 -22	emergency stop controls, 200 -4
fat, 425 -22	foot-operated controls, 200 -4
steam, 425 -22	overspeed, 200 -5 power transmission parts, 200 -8
Keys on moving parts, 300 -14	restarting after power failure, 200 -8
Keyways, unused, 300 -18	safeguarding, 200 -10-12
Kickback protection	54.0g44.4g, === 10 12

Index

securing, 200 -1	
slipping hazards, 200 -1	restraint (holdout) devices, 455-14
tools, hand feeding and retrieval, 200-6	tool use, 455 -22
unintentional activation, 200-4	train press operators, 455 -21
vibration, 200-5	two-hand control devices, 455-15
work area for material handling, 200-2	two-hand trip devices, 455-16
Maintenance	unitized tooling, 455-6
forging equipment, 430-5	Metal lathes, 450 -3-5
knives and cutting heads, 480 -29	Midrails, guardrails, 200 -25
machinery lubricating, 200-9	Mills, 460 -1-4, R -33
power presses, 455 -23	Minimum safety distance, presence-sensing
Mandrels and arbors, 300-1	devices, formula, 455-11
Manlift, 425 -11; 500 -12	Miter saws, 480 -17-18
Manually-fed dough and cross-roll brakes,	Mixers, food processing
safeguarding methods, 425 -17	horizontal dough, 425-24-25
Manufacturer specifications, conveyor parts, 420 -10	vertical, 425 -26-27
Marking projections, towed conveyors, 420 -28	Mobile conveyors, 420-20-21
Matching machines, 480 -34	Molding machines, 480-34
Material handling, food processing equipment	Mortising machines, 480 -30
bag lifts (bag arm elevators), food processing	Moulders, food processing
equipment, 425 -11	hand-fed, 425 -28
chain tackle, food processing equipment, 425 -12	mechanical-feed, 425-27
hand feeding and retrieval tools, 200 -6	Mounted, above table, swing saws, 480-25-26
removing from machine, 200 -7	Mounting
work area, 200 -2	abrasive wheels, 405 -12
Mats, presence-sensing devices, 200 -18	arbors and mandrels, 300-1
Maximum exposure angle	between flanges, 405-13
abrasive wheels, 405 -7-8	flanges, 405 -14
definition, 500 -13	Moving
Meat-processing equipment, food processing	carts, protection, towed conveyors, 420 -27
equipment, 425 -23	machinery, lubricating, 200-9
Mechanical, belt shifter, 300 -6-8	parts, projections, 200 -11; 300 -14
Weenanical, belt Stiffer, 300-0-0	surfaces, with hazards, 200-12
Mechanical-feed moulders, 425 -27	
Mechanical power presses	NI
(See also Requirements for all machines)	1 4
all, 455 -1-24	Nip or shear point
barrier guards, adjustable, 455 -9	belt and pulley drives, 300-6-8
	belt conveyors, 420-14
barrier guard, interlocked, 455 -9	belt-driven live roller conveyors, 420-23
design and construction, 455 -5	belt sanders, 475-3
dies, 455 -19-20	hazards, 200 -10
guideposts, 455 -6	mobile conveyors, 420-20
inspection and maintenance, 455 -23	roll-forming & bending machines, 470-2
operations, 455 -19-24	safeguarding, 200 -10
point-of-operation, 455 -7-10, 17-18	
presence-sensing devices, 455 -11-12	
PSDI (Presence Sensing Device Initiation), 455 -24	
pull-back devices, 455 -13	

http://www.Ini.wa.gov/

Machine Safety Chapter 296-806 WAC

Index

\circ	Power transmission parts, 200-8; 500-15
	Premixers, emulsifiers and similar machines, food
Oil cans, 200 -9	processing equipment, 425-21
Openings, guarding conveyors, 420 -12	Presence-sensing devices
Operating controls, 200 -3	mats, 200 -18
Operation, unintentional, 200-4	mechanical power presses, 455-11
Operations	Press brakes
calenders, 410 -4	(See also Requirements for all machines)
compactors, 415 -2	all, 465 -1-8
controls, 200-3	general requirements, 465 -3-4
mechanical power presses, 455-21	safe distance safeguarding, 465 -4-8
tools, equipment, overspeed, 200-5	Presses, forging machines, 430 -5-8
unintentional, 200-4	Pressure pipes, forging machines, 430 -12
Ovens, 425 -28-29	Pressure-sensitive mats, 200 -18
Overhead belts, 300-4	Pretzel, food processing equipment
Overland belt conveyors, 420 -15	rolling machine, 425 -30
Overspeed tools and equipment, 200-5	stick extruding machine, 425 -30
	Profile lathes and swing-head lathes, 450 -6
P	Projections
-	moving parts, 300 -14
Pallet jacks, food processing, 425 -13	moving parts, 300 -14 moving surfaces, 200 -12
Panel raisers & other similar machines, saws	Proof boxes, food processing equipment, 425 -9
and cutting heads, 480-35	PSDI (Presence Sensing Device Initiation) mechanical
Pan-washing tanks, food processing, 425 -8	power presses, 455 -24
Peanut-cooling trucks, food processing,	
425 -30	Pull-back devices, mechanical power presses, 455 -13
Pedestal grinders, abrasive wheels, 405-9	Pullback or restraint devices, 200 -19
Pedestrian overpasses, conveyors, 420 -11	Pulleys
Pipes, hot and exposed, food processing, 425-8	all, 300 -15-16
Piston rods, extension, 300-9	belt and pulley drives, 300 -6-8
Planers, saws and cutting heads	Pulverizers, sugar & spice, food processing, 425 -32
horizontal cutting head, 480-35	Pusher bar conveyors, 420 -21
kickback protection, 480-37	Б
safeguarding, 480 -36	R
Point of operation	Rabbeting, saws and cutting heads, 480-7
definition, 500 -15	Rack-type bread coolers, 425 -7
ironworkers, 445 -2	Radial saws, 480 -19-23
mechanical power presses, 455-7-10, 17-18	Rated speed, 200 -5
press brakes, 465 -3-4	Reciprocating or other moving parts, safeguarding
safeguarding, 200 -10	methods, 200 -11
Portable Power Tools	
see Chapter 296-807 WAC (another book)	Repairing machinery, 200 -7
Power-clamping devices, lathes, 450 -4	Replacement parts, conveyors, 420 -10
Power-driven, guillotine cutters, 480 -41-42	Requirements for all machines
Power failure, machine restarting, 200 -4	adjusting or repairing machinery, 200 -7
rower railure, machine restarting, 200 -4	all requirements, 200 -1-25; 300 -1-19
	devices, 200 -16

Index

emergency stop controls, 200 -4 falling objects, 200 -11	Rotating or revolving parts collars, 300 -19
flying objects, 200 -11	drums, barrels, and containers, 300 -16
hazards, moving surfaces, 200 -12	safeguarding, 200 -11
inspect powered transmission parts, 200 -8	Saleguarding, 200 -11
lubricating moving machinery, 200 -9	
machine vibration, 200 -5	S
	Safe designs for fixed barricades, 200-22-24
nip or shear point hazards, 200 -10 operating controls, 200 -3	Safe distance, press brakes
overspeed conditions, 200 -5	inspections, 465 -7
·	safeguarding methods, 465 -4
power transmission parts, 200 -8	safeguarding program, 465 -5
protect employees from slipping hazards, 200 -1	training, 465 -5-6
rotating or revolving parts, 200 -11	Safeguarding
safeguarding from point of operation, 200 -10	falling objects, 200 -11
secure machines, 200 -1	flying objects, 200 -11
unintentional machine operations, 200 -4	moving surfaces, 200 -11
work areas, avoid hazards, 200 -2	nip or shear points, 200 -10
Restraint (holdout) devices, mechanical power	point of operation, 200 -10
presses, 455 -14	power transmission parts, 200 -8
Restraint or pullback, devices, 200 -19	reciprocating or other moving parts, 200 -11
Restrictors, adjustable, ironworkers, 445 -2	rotating or revolving parts, 200 -11
Retrieval tools, 200 -6	Safeguarding, guards, 200 -13-15
Return-belt idlers, illustration, 420 -14	Safeguarding methods, all, 200 -13-25
Return strands, chain conveyors, 420 -17	Safeguarding devices
Reversible dough brakes, food processing, 425 -18	all, 200 -16-21
Revolving	
collars, 300 -19	barrier guards, 200 -21
drums, barrels, and containers, 300 -16	light curtains, 200 -17 pressure-sensitive mats, 200 -18
parts, 200 -11	pullback or restraint, 200 -19
saws, double arbor, 480 -24	two-hand, 200 -20
Riding, prohibiting, controls, 420 -8	Safeguarding distances
Ring test, abrasive wheels, 405 -11; R -3	definition, 500 -17
Ripping, ripsaws, 480 -12-14, 22-23	
Ripping with a radial arm saw, illustration, 480 -23	general requirement, 200 -22
Riving knife, 480 -12	guardrails, 200 -25
Riving knife or spreaders, circular resaws, 480 -12	Safety controls
Rods, safeguarding, 300 -9	Safety controls
Roll forming and bending machines	calenders, 410 -2-3
(See also Requirements for all machines)	machinery, 200 -7
all, 470 -1-2	mills, 460 -3-4
machine initiation, 470 -2	Safety guards, abrasive wheels, 405 -6-9
nip points, safeguarding, 470 -2	Sanding machines
Roller conveyors, 420 -22-23	(See also Requirements for all machines)
Rope or belt drives, 300 -2-5	all, 475 -1-3
Rotary machine, food processing, 425 -30	belt sanders, 475 -4
	disk sanders, 475 -3



http://www.Ini.wa.gov/

Index

drum sanders, 475 -2	
feed roll guarding, 475-3	
Saws, circular	Shut-off valve
(See also Requirements for all machines)	forging machines, 430 -11
all, 480 -8-15	ovens, 425 -29
gages, 480 -9	Shuttle conveyors, 420 -19
hand-fed, 480 -12	Skip hoists, conveyors, 420 -25
resaws, 480 -15	Slat and roller slat conveyors, 420 -26
self-feed saws, 480-14	Slipping hazards, 200 -1
Saws, general requirements for all, 480 -7-8	Specific requirements, forging machines, table, 430 -3,
(See also Requirements for all machines)	Spill guards, conveyors, 420 -10
Saws, specific types	Spokes, flywheels, 300 -12
(See also Requirements for all machines)	Sprockets, safeguarding, 300 -10
automatic, 480 -16	Spreaders
band, 480 -27	circular resaws, 480 -15
drag, 480 -28	glue, 440- 2
inverted swing (jump), 480 -16-17	Stationary lubrication fittings, food processing
miter, 480 -17-18	equipment, 425 -8
radial, 480 -19-23	Stationary safety ladder, 425 -10
revolving double arbor, 480 -24	Steam kettles, food processing equipment, 425 -22
swing, 480 -24-26	Sticking machines, 480 -34
Scale removal, forging machines, 430 -8	Stopping limits
Scope, chapter application, 100 -1	calenders, 410-4
Screw conveyors, 420 -24	mills, 460 -4
Screw conveyors (augers),	Storage bins, food processing equipment, 425 -10
food processing, 425 -13	Swing saws, 480 -24-26
Secure machine, 200 -1	Switches and valves, forging machines, 430-9
Securing	
belt tighteners, 300 -8	
board hammers, 430 -12	
drip cups and pans, 200 -9	_
machines, 200 -1	T
shafting, 300 -18	Tables
Self-feed, circular saws, 480 -14	fixed barriers, safeguarding by distance, 200 -2
Sewing machine, 485 -1-2	forging machines, specific requirements, 430 -3
(See also Requirements for all machines)	forging machines, strengths and dimensions, 430 -6
Shafting, 300 -17-18	hammers and presses, strengths & dimensions, 430 -6
Shakers, inclined reciprocating	quard requirements, 405 -7-8
conveyors, 420 -19	guard openings, safeguarding methods, 200 -14
Shapers, saws and cutting heads, 480 -38	safe distances from fixed barriers, 200 -23
Sharpening, saws and cutting heads, 480 -7	Table saws
Shear points	circular, guarding, 480 -10
safeguard, 200 -10	ripsaw, nonkickback protection, 480 -12
screw conveyors, 420 -24	Tail rods, safeguarding, 300 -9
Sheeters, box & roll-type dough, food processing,	Tenoning machines, saws & cutting heads, 480 -39
425 -31	Toe boards, 200 -25
Shims and die keys, forging machines, 430 -10	100 500100, 200 20

Index

Tongs, forging machines, 430-7 Tongue guard, abrasive wheels, 405-9 Tool use, mechanical power presses, 455-22 Tooling, unitized, mechanical power presses, 455-6 Tools hand feeding and retrieval, 200-6 lubricating moving machinery, 200-9 overspeed, 200-5 Top rails, guardrails, 200-25 Tow pin, towed conveyors, 420-26 Towed conveyors, 420-26-28 Track-type flour scales, food processing, 425-20 Train press operators, mechanical power presses, 455-21 Travel, radial saws, 480-21 Tread plates, 420-22 Trip controls, calenders, 410-2-3 Troughs, food processing, 425-15 Trucks, peanut-cooling, food processing, 425-30 Turning, automatic, lathes, safeguarding methods, 450-7 Turning, lathes, covering, 450-6 Two-hand control devices, mechanical power presses, 455-15 Two-hand devices, 200-20 Two-hand trip devices, mechanical power presses, **455**-16 Type 1 cutting off wheels, abrasive wheels, 405-15 Type 6 wheels (terrazzo), 405-16 Type 11 wheels (terrazzo), 405-16 Type 27-a cutting-off wheels, 405-15



Unintentional machine movement, **200**-4 Unitized tooling, mechanical power presses, **455**-6



Valves and switches, forging machines, **430**-9
Veneer machines, saws & cutting heads, **480**-40-42
Ventilation, doughnut machines, food
processing, **425**-18
Vertical cutting heads, jointers, **480**-34
Vertical mixers, food processing, **425**-26
Vibrations, machine, **200**-5



Walking, prohibiting, roller conveyors, **420**-22 Waste (garbage) disposal, **435**-1-2 (See also Requirements for all machines) Wheels
abrasive, mounting, **405**-12
speed control, roller conveyors, **420**-22

speed control, roller conveyors, **420**-22 Woodworking lathes, **450**-6-7 Work areas, avoid hazards, **200**-2 Work-holding devices (chucks), safeguarding, **450**-3 Work rest, off-hand grinding, **405**-10



http://www.lni.wa.gov/

Index

<u>n</u>

Machine Safety
Chapter 296-806 WAC